Index - SPE Journal - Volume 15 1959

Title and Author

Aluminum Foamed Plastic Panels—L. W. Hovland and E. R. McLaughlin, December, p. 1066

An Easy Way to Control Polyester Resin Cure—J. M. Smith and Robert B. Bennett, October, p. 858

Castable Conductive Plastics—William C. Turner, March, p. 216

Chain Rupture by Shear in Molten Polymer—Herbert A. Pohl and J. Kenneth Lund, May, p. 390

Chemistry and Performance of Cyanoacrylate Adhesives—H. W. Coover, Jr., J. B. Joyner, N. H. Shearer, Jr., and T. H. Wicker, Jr., May, p. 413

Comparison of Time Dependent Mechanical Properties of Plastics—Bryce Maxwell, June, p. 480

Continuous Peel Strength of Copper Clad Laminates—C. S. Kepple, December, p. 1070

Creep Behavior of Transparent Plastic at Elevated Temperatures—F. L. McCracken and C. Bersch, September, p. 791.

Crystallization Kinetics in Polymeric Systems—L. Mandelkern, January, p. 63

Definition of a Moldmaker—E. J. Czaszar, September, p. 812

Degradation of Cellulose Acetate Films—William K. Wilson and D. W. Forshee, February, p. 146

Designing Rigid Urethane Foams for Low Moisture Permeability—C. Minor Barringer, November, p. 961

Determination of Moisture in Nylon Molding Powder—L. Paggi, December, p. 1083

Diepoxides With Improved Properties—Donald R. Beasley, April, p. 289

Dynamic Mechanical Properties of Epoxy Resins—D. H. Kaelble, December, p. 1071

Effect of Wear on the Delivery Capacity of Extruder Screws—B. H. Maddock, May, p. 433

Effective Use of High Temperature Resistant Polyester Resins—James P. Walton, July, p. 567

Effects of Tertiary Amine Catalysts on Some Foam Properties—G. T. Gmitter, E. E. Gruber and R. D. Joseph, November, p. 957

Engineering Molded Parts for Business Machines—Byron W. Nelson, February, p. 131

Epoxy Novolacs—D. D. Applegath, R. F. Helmreigh and G. A. Sweeney, January, p. 39

Extruders and the Packaging Industry—Albert A. Kaufman, January, p. 54

Extrusion Bibliography—L. F. Street, July, p. 561

Extrusion of Linear Polyethylene Film—Robert Doyle, December, p. 1079

Extrusion of Polyethylene Film With Controlled Properties—W. A. Haine and H. B. Robinson, March, p. 233

Extrusion of Polypropylene—Russell D. Hanna, June, p. 499

Fabricating Silicone Laminates to Get the Most Strength—W. W. Breed, H. Christie, C. Bolze and F. Baiocchi, March, p. 220

Faster Cure Through Hotter Electronic Preheat—A. J. Guzzetti and R. L. Wechsler, April, p. 293

Flammability Evaluations in Safety Codes—Mathew M. Braidech, January, p. 35

Formulating a Castable Polyurethane—A. J. Quant, April, p. 298

Future of Engineered Molecular Studies—Giulio Natta, April, p. 292

Going Into Fluidized Bed Coating—Joseph Gaynor, December, p. 1059

Ground Radomes—S. C. Nilo, February, p. 157

High Density Polyethylene Protective and Functional Coatings—S. E. Hmiel and H. C. Guy, July, p. 540

How To Modify Your Injection Molding Machine for Better Molding Cycles—Milton Sanders, November, p. 989

How to Reduce Carbonization in the Injection Cylinder—C. S. Imig, February, p. 142

Improved Instrumentation for Screw Extruders—E. C. Bernhardt, August, p. 735

Induction Heating for Injection Molding Machines—W. J. Goodwin, March, p. 241

Infrared Spectra and the Structure of High Polymers—S. Krimm, September, p. 797

Infrared Spectrophotometric Studies of Plastics—Raymond Sawyer, July, p. 537

Insulated Runner Systems for Injection Molding—J. L. Scott, D. L. Peters and B. J. Boeke, September, p. 785

Interfacial Polycondensation - Versatile Method of Polymer Preparation—P. W. Morgan, June, p. 485

Interfacial Properties of Polyesters at Glass and Water Surfaces—Robert R. Stromberg, Wendell M. Lee and Alan R. Quasius, October, p. 883

Low Pressure Injection Molding—Gordon Cooper, November, p. 966

Materials for Long Range Missiles and Space Vehicles—William A. Mrazek, March, p. 211

Mold-Filling Rates, Better Parts With Proper—Gordon B. Lankton, January, p. 31

Molds for Blow Molding—George E. Pickering, October, p. 891

New Method for Determining the Second Order Transition in Thermosetting Polymers—R. W. Warfield, August, p. 625.

Notch Sensitivity of Reinforced Plastics—E. L. Strauss, October, p. 894

Nuclear Resonance Studies of Polymer Chain Flexibility—W. P. Slichter, April p. 303

Pinpoint Important Process Variable with Polyvariable Experimentation—F. E. Satterthwaite and D. Shainin, March, p. 225

Pitfalls in Evaluation of PVC Stabilizers—Charles H. Fuchsman, March, p. 214

Plastics as Iodine Vapor Barriers—Samuel D. Toner, January, p. 48

Plastic Foams—C. R. Davall, November, p. 954

Index - SPE Journal - Volume 15 1959

Title and Author

Aluminum Foamed Plastic Panels—L. W. Hovland and E. R. McLaughlin, December, p. 1066

An Easy Way to Control Polyester Resin Cure—J. M. Smith and Robert B. Bennett, October, p. 858

Castable Conductive Plastics—William C. Turner, March, p. 216

Chain Rupture by Shear in Molten Polymer—Herbert A. Pohl and J. Kenneth Lund, May, p. 390

Chemistry and Performance of Cyanoacrylate Adhesives—H. W. Coover, Jr., J. B. Joyner, N. H. Shearer, Jr., and T. H. Wicker, Jr., May, p. 413

Comparison of Time Dependent Mechanical Properties of Plastics—Bryce Maxwell, June, p. 480

Continuous Peel Strength of Copper Clad Laminates—C. S. Kepple, December, p. 1070

Creep Behavior of Transparent Plastic at Elevated Temperatures—F. L. McCracken and C. Bersch, September, p. 791.

Crystallization Kinetics in Polymeric Systems—L. Mandelkern, January, p. 63

Definition of a Moldmaker—E. J. Czaszar, September, p. 812

Degradation of Cellulose Acetate Films—William K. Wilson and D. W. Forshee, February, p. 146

Designing Rigid Urethane Foams for Low Moisture Permeability—C. Minor Barringer, November, p. 961

Determination of Moisture in Nylon Molding Powder—L. Paggi, December, p. 1083

Diepoxides With Improved Properties—Donald R. Beasley, April, p. 289

Dynamic Mechanical Properties of Epoxy Resins—D. H. Kaelble, December, p. 1071

Effect of Wear on the Delivery Capacity of Extruder Screws—B. H. Maddock, May, p. 433

Effective Use of High Temperature Resistant Polyester Resins—James P. Walton, July, p. 567

Effects of Tertiary Amine Catalysts on Some Foam Properties—G. T. Gmitter, E. E. Gruber and R. D. Joseph, November, p. 957

Engineering Molded Parts for Business Machines—Byron W. Nelson, February, p. 131

Epoxy Novolacs—D. D. Applegath, R. F. Helmreigh and G. A. Sweeney, January, p. 39

Extruders and the Packaging Industry—Albert A. Kaufman, January, p. 54

Extrusion Bibliography—L. F. Street, July, p. 561

Extrusion of Linear Polyethylene Film—Robert Doyle, December, p. 1079

Extrusion of Polyethylene Film With Controlled Properties—W. A. Haine and H. B. Robinson, March, p. 233

Extrusion of Polypropylene—Russell D. Hanna, June, p. 499

Fabricating Silicone Laminates to Get the Most Strength—W. W. Breed, H. Christie, C. Bolze and F. Baiocchi, March, p. 220

Faster Cure Through Hotter Electronic Preheat—A. J. Guzzetti and R. L. Wechsler, April, p. 293

Flammability Evaluations in Safety Codes—Mathew M. Braidech, January, p. 35

Formulating a Castable Polyurethane—A. J. Quant, April, p. 298

Future of Engineered Molecular Studies—Giulio Natta, April, p. 292

Going Into Fluidized Bed Coating—Joseph Gaynor, December, p. 1059

Ground Radomes—S. C. Nilo, February, p. 157

High Density Polyethylene Protective and Functional Coatings—S. E. Hmiel and H. C. Guy, July, p. 540

How To Modify Your Injection Molding Machine for Better Molding Cycles—Milton Sanders, November, p. 989

How to Reduce Carbonization in the Injection Cylinder—C. S. Imig, February, p. 142

Improved Instrumentation for Screw Extruders—E. C. Bernhardt, August, p. 735

Induction Heating for Injection Molding Machines—W. J. Goodwin, March, p. 241

Infrared Spectra and the Structure of High Polymers—S. Krimm, September, p. 797

Infrared Spectrophotometric Studies of Plastics—Raymond Sawyer, July, p. 537

Insulated Runner Systems for Injection Molding—J. L. Scott, D. L. Peters and B. J. Boeke, September, p. 785

Interfacial Polycondensation - Versatile Method of Polymer Preparation—P. W. Morgan, June, p. 485

Interfacial Properties of Polyesters at Glass and Water Surfaces—Robert R. Stromberg, Wendell M. Lee and Alan R. Quasius, October, p. 883

Low Pressure Injection Molding—Gordon Cooper, November, p. 966

Materials for Long Range Missiles and Space Vehicles—William A. Mrazek, March, p. 211

Mold-Filling Rates, Better Parts With Proper—Gordon B. Lankton, January, p. 31

Molds for Blow Molding—George E. Pickering, October, p. 891

New Method for Determining the Second Order Transition in Thermosetting Polymers—R. W. Warfield, August, p. 625.

Notch Sensitivity of Reinforced Plastics—E. L. Strauss, October, p. 894

Nuclear Resonance Studies of Polymer Chain Flexibility—W. P. Slichter, April p. 303

Pinpoint Important Process Variable with Polyvariable Experimentation—F. E. Satterthwaite and D. Shainin, March, p. 225

Pitfalls in Evaluation of PVC Stabilizers—Charles H. Fuchsman, March, p. 214

Plastics as Iodine Vapor Barriers—Samuel D. Toner, January, p. 48

Plastic Foams—C. R. Davall, November, p. 954

Whitlock The Complete Line of
CONVEYORS • DRYERS • SPECIAL EQUIPMENT
for handling all plastic materials!

Automatic Dryers
Dehumidifies drying air to a minus 20 dew point in a closed system - preheats material - capacities to 600 lbs. per hour.



Bulk Handling Conveyors
Automatic or manual - capacities to 2,500 lbs. per hour.



Filter Cone Attachment
Automatic - eliminates dust caused when transferring plastic materials.



Self Supporting Conveyors
Automatic or manual - capacities to 1,200 lbs. per hour.

The Whitlock line gives you both standard and custom built equipment. *Write for complete catalog.*

WHITLOCK ASSOCIATES INC.
21655 Coolidge Hwy., Dept. S. Oak Park 37, Mich.

INDEX—Continued

Plastics as Construction Materials in the Steel Industry—Joseph Bigos, November, p. 978

Plastics in the New Age of Discovery—W. E. Zisch, December, p. 1042

Plastics in the Auto Industry—R. H. Dean, R. E. Burk, T. W. Mullen, R. L. Gardner, D. A. Hurst, and J. F. Woodman, November, p. 968

Plastics Radomes at Elevated Temperatures. Theory and Practice—Fred H. Behrens and Cecil W. Gwinn, October, p. 881

Plastics Research in Poland—Jerome Formo, October, p. 858

Principles of Rotary Molding—John C. Reib, July, p. 546

Producing Special Properties in Plastics with Fillers—Jerome Formo and Robert Isleifson, August, p. 627

Progress in Five Years of Research in Stereospecific Polymerization—Giulio Natta, May, p. 373

Progress in Urethanes—M. E. Bailey, April, p. 285

Properties of Foams and Laminates Under Shock Loading—R. H. Supnik and M. Silberberg, January p. 43

Quick Test for Carbon Black Dispersion—W. G. Best and H. F. Tomfohrde, III, February, p. 139

Refractive Index Method for Determining Cure Rates of Epoxy Resins—H. Dannenberg, October, p. 875

Reinforced Plastics for Rocket Motor Applications—George Epstein and J. C. Wilson, June, p. 473

Relationship of Physical Properties to Structure in Linear Polymers of Ethylene and Propylene—L. T. Muus, N. G. McCrum and F. C. McGrew, May, p. 368

Review of Stress-Cracking in Polyethylene—John B. Howard, May, p. 397

Saturable Core Reactor Temperature Controls—George Northrop, February, p. 137

Scale-Up Theory, Extruders—B. H. Maddock, November, p. 983

Short-Time Vs. Long-Time Properties of Plastic Pipe Under Hydrostatic Pressure - A Comparison—Leonard F. Sansome, Jr., May, p. 418

Some New Verifications of Power and Heat Theory in PVC Extrusion—Frank C. Schutz, April, p. 311

Special Considerations in Injection Molding Design—E. J. Csaszar, November, p. 987

Specific Heat of High Polymers—R. W. Warfield, M. C. Petree and P. Donovan, December, p. 1055

Stabilization of Mixtures Containing PVC—Charles H. Fuchsman, August, p. 787

Stabilization of PVC Towards Sunlight—Norman L. Perry, July, p. 550

Thermal Incline as an Evaluation Tool in Fluidized Bed Coating—C. J. Metz, December, p.

Unique Modifier for Epoxy Resins—H. D. Barnstorff, H. D. Cummings, J. A. Cannon and A. Y. Coran, October, p. 873

Use of Flexible Conduits in Extrusion—E. C. Bernhardt, September, p. 807

Use of Reground Glass-Filled Polystyrene—George R. Rugger, December, p. 1053

Use of Thermoset Laminated Plastics in Electronic Applications—Paul V. Brown, November, p. 974

Vacuum Feed Extrusion—Walt M. Mundy, October, p. 887

VHF Preheating for Thermosetting Molding—J. F. Trembley, July, p. 543

Visual Analysis of Flow and Mixing in Extruder Screws—B. H. Maddock, May, p. 383

Warpage in Center-Gated Articles—L. Paggi, September, p. 810